

厚生省
神経疾患研究委託費

筋ジストロフィー症動物の開発・
供給に関する研究

野村班

昭和58年度研究報告書

昭和59年3月

研究報告書作成にあたり

厚生省神経疾患研究依託費による「筋ジストロフィー症動物の開発・供給」班が結成され、その第2年目を終了致しました。本研究班の目的は、1) 筋ジストロフィー症モデル動物の生産・供給、2) 新しいモデル動物の開発・改良、および 3) 筋ジストロフィー症動物の飼育管理方法の検討、であります。

本研究では、筋ジストロフィー症研究の進展のため、より良いモデル動物の開発・改良を目指すとともに、大量の実験動物を供給できるよう努力を致す所存であります。そのために、新しい技術、例えば発生工学の手法をもちいてモデル動物を開発するなど、の検討も進めております。

今後も、諸班の先生方のご協力をお願い申しあげる次第であります。

おわりに、ご協力下さった班員各位、ならびに本研究委託費の取扱いに種々お世話いただいた厚生省当局、国立神経センター、日本筋ジストロフィー協会の方々に心から感謝いたします。

昭和59年3月

野 村 達 次

目 次

I. 「筋ジストロフィー症動物の開発・供給に関する研究」総括報告書	1
野村達次	
II. 筋ジストロフィー症に関する文献調査(1984)	5
野村達次	
III-1. 筋ジストロフィー症モデル動物の開発	
<i>mdx</i> マウス骨格筋の病理学的研究	13
杉田秀夫	
研究協力者 田辺雄三	
埜中征哉	
江崎孝三郎	
野村達次	
III-2. 進行性に筋力低下を示す突然変異マウスの骨格筋に見られる	
Vacuole 形成	33
辻繁勝	
III-3. 筋ジストロフィー症マウスと小人症マウス：筋成熟成長障害の比較	45
戸塚武	
研究協力者 渡辺貴美	
浦本勲	
III-4. キメラマウスを用いた筋ジストロフィー症の研究	53
勝木元也	
横山峯介	
III-5. 震えを伴う起立不能症鶏の病態と遺伝	57
富田武	
研究協力者 若菜茂晴	
加藤重夫	
若杉昇	
渡辺徹	

I. 筋ジストロフィー症に関する文献調査 (1983)

野村達次*

研究協力者 大田 佑*

筋ジストロフィー症モデル動物の開発研究の一環として「疾患モデル動物」、「哺乳類、トリー類における筋ジストロフィーとその近縁疾患」ならびに「筋ジストロフィーとその近縁疾患に関する動物実験」についての文献調査をおこなった。それらの中から、筋ジストロフィーに関する文献(1983年分)を以下で紹介する。¹⁻⁴⁾

M I C E

Frostholm, A., Bennett, W., Lynch, G.: A behavioral profile of two dystrophic mouse strains. *Behav. Genet.*, 1983, 13(3), 225-38. (EN)

Reichmann, H., Pette, D., Vrbova, G.: Electrostimulation-induced changes in the enzyme activity pattern of dystrophic mouse muscles. *Acta Histochem., Suppl.*, 1983, 28, 125-7. (EN)

Bostock, H., Rasminsky, M.: Potassium channel distribution in spinal root axons of dystrophic mice. *J. Physiol.*, 1983, 340, 145-56. (EN)

Guiheneuc, P., Lucas, Heron B.: New method of iterative measurement of muscular force in normal and dystrophic mice. *C.R. Soc. Biol.*, 1983, 177(2), 223-8. (FR)

Volkov, E.M., Poletaev, G.I.: Non-quantum secretion of acetylcholine in a nerve-muscle preparation of the diaphragm in dystrophic mice of line 129/Rej. *Biull. Eksp. Biol. Med.*, 1983, 96(8), 33-5. (RS)

Bloom, J.A., Webb, W.W.: Lipid diffusibility in the intact erythrocyte membrane. *Biophys. J.*, 1983, 42(3), 295-305. (EN)

Stuart, A., McComas, A.J., Dean, D.: Restoration of functional continuity in dystrophic murine muscle after crushing. *Exp. Neurol.*, 1983, 81(1), 153-7. (EN)

Badalian, L.O., Temin, P.A., Ametov, A.S., Khasanova, KhD., Ilin, I.L.: Features of disorders of carbohydrate metabolism in progressive muscular dystrophies (Review). *Zh. Nevropatol. Psikhiatr.*, 1983, 83(3), 122-6. (RS)

Wirtz, P., Loermans, H.: Immobilization of dystrophic mouse muscle prevents pathology and necrosis of muscle fibers. (letter) *Muscle Nerve.*, 1983, 6(3), 234-5. (EN)

* (財) 実験動物中央研究所

Loermans, H., Wirtz, P.: Inhibition of the expression of pathology in dystrophic mouse leg muscles by immobilization. *Br. J. Exp. Pathol.*, 1983, 64(2), 225-30. (EN)

Summers, P.J., Ashmore, C.R.: Regeneration and reinnervation of the dystrophic mouse soleus muscle. A light- and electron-microscopic study. *Acta Neuropathol.*, 1983, 59(3), 207-15. (EN)

Dulhunty, A.F., Vaughan, P.C.: Mechanical activation in dystrophic C57BL mouse muscle. *Neurosci. Lett.*, 1980, 17(3), 289-93. (EN)

Kerr, L.M., Sperelakis, N.: Membrane alterations in skeletal muscle fibers of dystrophic mice. *Muscle Nerve.*, 1983, 6(1), 3-13. (EN)

Saito, A., Law, P.K., Fleischer, S.: Study of neurotrophism in normal/dystrophic parabiotic mice. *Muscle Nerve.*, 1983, 6(1), 14-28. (EN)

Bressler, B.H., Jasch, L.G., Ovalle, W.K., Slonecker, C.E.: Changes in isometric contractile properties of fast-twitch and slow-twitch skeletal muscle of C57BL/6J dy2J/dy2J dystrophic mice during postnatal development. *Exp. Neurol.*, 1983, 80(2), 457-70. (EN)

Law, P.K., Saito, A., Fleischer, S.: Ultrastructural changes in muscle and motor end-plate of the dystrophic mouse. *Exp. Neurol.*, 1983, 80(2), 361-82. (EN)

Watanabe, K., Uramoto, I., Totsuka, T.: Characteristics of muscular potentials evoked by single shocks to sciatic nerves and their different changes due to repetitive stimulation at a moderate frequency in dystrophic and normal mice. *Electromyogr. Clin. Neurophysiol.*, 1983, 23(1-2), 103-15. (EN)

Badalian, L.O., Grinio, L.P., Temin, P.A., Islamova, I.B., Ilin, I.L.: Characteristics of lipid metabolism of the skeletal muscles in progressive muscular dystrophy. *Pediatrics*, 1983, (1), 66-8. (Review) (RS)

Nylen, E.G., Wrogemann, K.: Mitochondrial calcium content and oxidative phosphorylation in heart and skeletal muscle of dystrophic mice. *Exp. Neurol.*, 1983, 80(1), 69-80. (EN)

Rutherford, P.S., Boegman, R.J.: Axonal transport of nerve growth factor and serum albumin in the dystrophic mouse. *Neurosci. Lett.*, 1982, 34(3), 209-13. (EN)

Max, S.R.: Cytosolic androgen receptor in skeletal muscle from normal and dystrophic mice. *J. Steroid Biochem.*, 1983, 18(3), 281-3. (EN)

Dangain, J., Vrbova, G.: Effect of chronic electrical stimulation at low frequency on the passive membrane properties of muscle fibers from dystrophic mice. *Exp. Neurol.*, 1983, 79(3), 630-40. (EN)

Rasminsky, M.: Physiological properties of dystrophic mouse spinal root axons. *Electroencephalogr. Clin. Neurophysiol. Suppl.*, 1982, 36, 99-105. (EN)

Cornbrooks, C.J., Mithen, F., Cochran, J.M., Bunge, R.P.: Factors affecting schwann cell basal lamina formation in cultures of dorsal root ganglia from mice with muscular dystrophy. *Brain Res.*, 1982, 282(1), 57-67. (EN)

Jaros, E., Jenkison, M.: Quantitative studies of the abnormal axon-Schwann cell relationship in the peripheral motor and sensory nerves of the dystrophic mouse. *Brain Res.*, 1983, 258(2), 181-96. (EN)

Silverman, H., Atwood, H.L.: Increase of muscle mitochondrial content with age in murine muscular dystrophy. *Muscle Nerve.*, 1982, 5(8), 640-4. (EN)

Law, P.K.: Beneficial effects of transplanting normal limb-bud mesenchyme into dystrophic mouse muscles. *Muscle Nerve.*, 1982, 5(8), 619-27. (EN)

Singh, S.M., Wang, C.H., Phillips, A.: Dystrophic mutation (dy2J) affecting regulation of lactate dehydrogenase (LDH) and pyruvate kinase (PK) in C57BL/6J mice. *Experientia*, 1982, 38(12), 1487-9. (EN)

Wirtz, P., Loermans, H., Rutten, E.: Effects of irradiation on regeneration in dystrophic mouse leg muscles. *Br. J. Exp. Pathol.*, 1982, 63(6), 671-9. (EN)

Akindede, J., Anyaibe, S., Headings, V.: Heritable variation in erythrocyte membranes of mice with muscular dystrophy. *Biochem. Genet.*, 1982, 20(9-10), 865-74. (EN)

Chin, See M.W., Nicholls, D.M.: The purification and characterization of an inhibitor of protein synthesis from the muscle of dystrophic mice and homozygous control mice. *J. Neurol. Sci.*, 1982, 56(2-3), 311-26. (EN)

Sung, S.C.: Acetylcholinesterase and butyrylcholinesterase released from normal and dystrophic muscles by treatment with proteolytic enzymes. *Comp. Biochem. Physiol.*, 1982, 73(1), 33-6. (EN)

Duncan, C.J.: Parallels between spontaneous release of transmitter at the neuromuscular junction and subcellular damage of muscle. Evidence for the underlying common involvement of intracellular Ca²⁺?. *Comp. Biochem. Physiol. A.*, 1982, 73(2), 147-9. (Review) (EN)

Stracher, A.: Proteinase inhibitors and muscle degeneration. (letter) *Muscle Nerve.*, 1982, 5(6), 494. (EN)

Bianchi, R., Paro, M., Ghidotti, G., Mussini, E.: Changes in muscle esterases in genetically dystrophic and control littermate mice. *Muscle Nerve.*, 1982, 5(6), 485-9. (EN)

Jasch, L.G., Bressler, B.H., Ovalle, W.K., Slonecker, C.E.: Abnormal distribution of proteins in the soleus and extensor digitorum longus of dystrophic mice. *Muscle Nerve.*, 1982, 5(6), 462-70. (EN)

Mrak, R.E., Fleischer, S.: Lipid composition of sarcoplasmic reticulum from mice with muscular dystrophy. *Muscle Nerve.*, 1982, 5(6), 439-46. (EN)

Dulhunty, A., Valois, A.: A freeze-fracture study of normal and dystrophic C57BL mouse muscle. *Muscle Nerve.*, 1982, 5(6), 425-33. (EN)

Singh, S.M., Phillips, A., Wang, C.H.: Glutamate oxaloacetate transaminase (GOT) in the dy2J genotypes of C57BL/6J mice: possible involvement of regulatory defect in muscular dystrophy. *Experientia*, 1982, 38(8), 917-8. (EN)

Brimijoin, S., Schreiber, P.A.: Reduced axonal transport of 10S acetylcholinesterase in dystrophic mice. *Muscle Nerve.*, 1982, 5(5), 405-10. (EN)

Mizobe, F., Livett, B.G.: Evidence against a generalized membrane defect in dystrophic mice platelets. *Muscle Nerve.*, 1982, 5(5), 387-95. (EN)

Wilkinson, M., Khan, I.: Beta-adrenergic, but not benzodiazepine, binding sites are reduced in dystrophic mouse brain. *Brain Res. Bull.*, 1982, 8(5), 547-9. (EN)

Hamsters

Jolicoeur, C., Noel, J., Brakier, Gingras L.: The 60S ribosomal subunit is altered in the skeletal muscle of dystrophic hamsters. *Biochem. Biophys. Res. Commun.*, 1983, 115(1), 153-8. (EN)

Phipps, B.A., Elbrink, J.: Monosaccharide transport and hexokinase activity in leg muscles from cardiomyopathic hamsters. *Can. J. Physiol. Pharmacol.*, 1983, 61(4), 369-75. (EN)

Pimplikar, S.W., Malhotra, S.K.: Analysis of erythrocyte membrane proteins from dystrophic hamsters. *FEBS Lett.*, 1983, 156(1), 141-4. (EN)

Jolicoeur, C., Brakier, Gingras L.: A ribosomal defect in dystrophic hamsters. *Can. J. Biochem. Cell Biol.*, 1983, 61(1), 1-7. (EN)

Hunter, E.G., Elbrink, J.: Increased contractility in vascular smooth muscle of dystrophic hamsters. *Can. J. Physiol. Pharmacol.*, 1983, 61(2), 182-5. (EN)

Wickler, S.J., Horwitz, B.A.: Metabolic organization of muscle and brown fat of normal and dystrophic hamsters. *Am. J. Physiol.*, 1983, 244(3), R407-11. (EN)

Horowitz, J.M., Hamilton, J., Horwitz, B.A.: Catecholamine-induced changes in transmembrane potential and temperature in normal and dystrophic hamster brown adipose tissue. *Life Sci.*, 1982, 32(7), 725-31. (EN)

Stracher, A.: Proteinase inhibitors and muscle degeneration. (letter) *Muscle Nerve.*, 1982, 5(6), 494. (EN)

Con, A.R., Wrogemann, K.: Decreased chemiluminescence in thymocytes of dystrophic hamsters. *Muscle Nerve.*, 1982, 5(5), 382-6. (EN)

Karpati, G., Carpenter, S., Prescott, S.: Prevention of skeletal muscle fiber necrosis in hamster dystrophy. *Muscle Nerve.*, 1982, 5(5), 369-72. (EN)

CHICKENS

Feit, H., Fuseler, J., Cook, J.D.: Myofibrillar creatine kinase in Duchenne and avian muscular dystrophy. *Biochem. Med.*, 1983, 29(3), 355-9. (EN)

Husic, H.D., Suelter, C.H.: The levels of creatine kinase and adenylate kinase in the plasma of dystrophic chickens reflect the rates of loss of these enzymes from the circulation. *Biochem. Med.*, 1983, 29(3), 318-36. (EN)

Morris, G.E., Head, L.P.: Immunoassay of muscle-specific creatine kinase with a monoclonal antibody and application to myogenesis and muscular dystrophy. *Biochem. J.*, 1983, 213(2), 417-25. (EN)

Kuhn, D.E., Logan, D.M.: Aspects of hepatic cholesterol metabolism in normal and dystrophic chicken embryos. *Can. J. Biochem. Cell. Biol.*, 1983, 61(6), 378-86. (EN)

Hudecki, M.S., Pollina, C.M., Heffner, R.R.: Limited benefit to genetically dystrophic chickens from a synthetic proteinase inhibitor: Ep475. *J. Neurol. Sci.*, 1983, 60(1), 55-66. (EN)

Beppu, H., Nakajima, M., Nishiyama, F., Uono, M., Hirano, H.: Concanavalin A binding sites on the erythrocytes of normal and genetically dystrophic chickens. *J. Neurol. Sci.*, 1983, 59(3), 401-14. (EN)

Kawamoto, R.M., Baskin, R.J.: Calcium transport, ATPase activity and lipid composition in sarcoplasmic reticulum isolated from isogenic lines of normal and dystrophic chickens. *Biochim. Biophys. Acta.*, 1983, 732(3), 620-6. (EN)

Pizzey, J.A., Barnard, E.A.: Structural change in muscles of the dystrophic chicken. II. Progression of the histopathology in the pectoralis muscle. *Neuropathol. Appl. Neurobiol.*, 1983, 9(2), 149-64. (EN)

Frankeny, J.R., Holly, R.G., Ashmore, C.R.: Effects of graded duration of stretch on normal and dystrophic skeletal muscle. *Muscle Nerve.*, 1983, 6(4), 269-77. (EN)

Howlett, S.E., Hoekman, T.B.: Sex differences in the phenotypic expression of avian dystrophy. *Exp. Neurol.*, 1982, 81(1), 50-63. (EN)

Sweeny, P.R.: Ultrastructure of the developing myotendinous junction of genetic dystrophic chickens. *Muscle Nerve.*, 1983, 6(3), 207-17. (EN)

Baxter, J.H., Suelter, C.H.: Skeletal muscle lysosomes: comparison of lysosomes from normal and dystrophic avian pectoralis muscle as a function of age. *Muscle Nerve.*, 1983, 6(3), 187-94. (EN)

Pizzy, J.A., Barnard, E.A.: Structural change in muscles of the dystrophic chicken. I. Quantitative indices. *Neuropathol. Appl. Neurobiol.*, 1983, 9(1), 21-38. (EN)

Sketelj, J., Sasel, B., Zupancic, N., Brzin, M.: Plasma acetylcholinesterase in Duchenne muscular dystrophy. *Exp. Neurol.*, 1983, 80(2), 329-36. (EN)

Fujii, K., Murota, K., Tanzer, M.L.: Abnormal collagen synthesis in skeletal muscle of dystrophic chicken. *Biochem. Biophys. Res. Commun.*, 1983, 111(3), 933-8. (EN)

Shotton, D.M.: Quantitative freeze-fracture electron microscopy of dystrophic muscle membranes. *J. Neurol. Sci.*, 1982, 57(2-3), 161-90. (EN)

Provine, R.R.: Chicken muscular dystrophy: an inherited disorder of flight. *Dev. Psychobiol.*, 1983, 16(1), 23-7. (EN)

Kundu, S.K., Misra, L.K., Luthra, M.G.: Muscle glycolipids in inherited muscular dystrophy of chickens. *FEBS Lett.*, 1982, 150(2), 359-64. (EN)

Entrikin, R.K., Patterson, G.T., Mouritsen, J.A., Wilson, B.W.: Water deprivation: beneficial effect on muscular dystrophy in chickens. *Exp. Neurol.*, 1983, 79(3), 746-52. (EN)

Rushbrook, J.I., Yuan, A.I., Stracher, A.: Abnormal myosin heavy chain variant associated with avian muscular dystrophy. *Cell Motil.*, 1981, 1(4), 399-416. (EN)

Nonaka, I., Ishiura, S., Takagi, A., Sugita, H.: Therapeutic trial with protease inhibitor (leupeptin) in chicken muscular dystrophy. A histologic and histochemical study. *Acta Neuropathol.*, 1982, 58(4), 279-85. (EN)

Barnard, E.A., Lyles, J.M., Silman, I., Jedrzejczyk, J., Barnard, P.J.: Molecular forms of acetylcholinesterase and pseudoacetylcholinesterase in chicken skeletal muscles: their distribution and change with muscular dystrophy. *Reprod. Nutr. Dev.*, 1982, 22(1B), 261-73. (EN)

Barnard, E.A., Lyles, J.M., Pizzey, J.A.: Fibre types in chicken skeletal muscles and their changes in muscular dystrophy. *J. Physiol.*, 1982, 331, 333-54. (EN)

- Shay, J.W., Feit, H., Cook, J.: The effect of isaxonine on microtubule assembly in avian and human dystrophic cells. *Trans. Am. Neurol. Assoc.*, 1980, 105, 359-61. (EN)
- Feit, H., Domke, R.: Persistence of the expression of beta-tropomyosin in dystrophic avian pectoral muscle. *Cell Motil.*, 1982, 2(3), 309-15. (EN)
- Rushbrook, J.I., Yuan, A.I., Stracher, A.: Abnormal myosin heavy chain variant associated with avian muscular dystrophy. *Cell Motil.*, 1981, 1(4), 399-416. (EN)
- Rushbrook, J.I., Yuan, A.L., Stracher, A.: Two major allelic forms of myosin light chain-1 in strains of normal and dystrophic chickens. *Muscle Nerve.*, 1982, 5(7), 505-14. (EN)
- Duncan, C.J.: Parallels between spontaneous release of transmitter at the neuromuscular junction and subcellular damage of muscle. Evidence for the underlying common involvement of intracellular Ca²⁺?. *Comp. Biochem. Physiol., A.*, 1982, 73(2), 147-9. (Review) (EN)
- Kosk, Kosicka D., Scales, D., Kurzmack, M., Inesi, G.: A serial study of muscle microsomes during the early growth of genetically dystrophic chickens. *Biochim. Biophys. Acta.*, 1982, 691(2), 193-200. (EN)
- Hogan, E.L., Happel, R.D., Chien, J.L.: Membrane glycosphingolipids in chicken muscular dystrophy. *Adv. Exp. Med. Biol.*, 1982, 152, 273-8. (EN)
- Kidd, P.M., Yasumura, T.: T system abnormalities in differentiating skeletal fibers of dystrophic chickens. *Muscle Nerve.*, 1982, 5(6), 471-8. (EN)
- Hudecki, M.S., Pollina, C.M., Heffner, R.R.: Parenteral branched-chain amino acid treatment and avian dystrophy. *Muscle Nerve.*, 1982, 5(6), 447-57. (EN)
- Entrikin, R.K., Randall, W.R., Wilson, B.W.: Myotonic electromyographic activity in complexus muscles of normal and dystrophic chicks. *Muscle Nerve.*, 1982, 5(5), 396-8. (EN)
- Feit, H., Stauver, M., Domke, R., Shay, J.W.: Fragmentation analysis of normal and dystrophic avian muscle. *Muscle Nerv.*, 1982, 5(5), 373-81. (EN)
- Barany, M., Glonek, T.: Phosphorus-31 nuclear magnetic resonance of contractile systems. *Methods Enzymol.*, 1982, 85, Pt. B, 624-76. (EN)
- Murphy, B.J.: Motoneuron formation in the brachial spinal cord of the dystrophic chick embryo. *Exp. Cell Biol.*, 1982, 50(4), 181-6. (EN)

Reiser, P.J., Stokes, B.T.: Comparison of the development of isometric contractile properties of embryonic avian normal and dystrophic skeletal muscle. *Exp. Neurol.*, 1982, 77(3), 505-18. (EN)

Others

Mathis, A., Horber, H., Jucker, H.: Providing cattle with selenium in Switzerland: Studies in nursing and breeding cow farms. *Schweiz Arch. Tierheilkd.*, 1983, 125(5), 317-28. (GE)

Abhold, R.H., Hegreberg, G.A., Magnuson, J.A.: Decreased osmotic fragility in heritable canine myopathy. *Am. J. Hematol.*, 1983, 15(1), 15-22. (EN)

Katsunuma, N., Kominami, E.: Structures and functions of lysosomal thiol proteinases and their endogenous inhibitor. *Curr. Top. Cell Regul.*, 1983, 22, 71-101. (Review) (EN)

Bloom, J.A., Webb, W.W.: Lipid diffusibility in the intact erythrocyte membrane. *Biophys. J.*, 1983, 42(3), 295-305. (EN)

Pritchard, G.C., Hill, M.R., Slater, A.J.: Alopecia in calves associated with milk substitute feeding. *Vet. Rec.*, 1983, 112(18), 435-6. (EN)

Sims, M.H.: Electrodiagnostic techniques in the evaluation of diseases affecting skeletal muscle. *Vet. Clin. North Am., Small Anim. Pract.*, 1983, 13(1), 145-62. (Review) (EN)

Uramoto, I., Watanabe, K., Totsuka, T.: Contrast of time courses of changes in muscular potentials to prolonged stimulation at 5 Hz in rat medial gastrocnemius and soleus muscles. *Exp. Neurol.*, 1983, 80(2), 479-83. (EN)

Mathis, A., Horber, H., Jucker, H.: Selenium metabolism in ruminants. A review of the literature. *Schweiz Arch. Tierheilkd.*, 1982, 124(12), 591-601. (Review) (GE)

Tripp, M.J., Schmitz, J.A.: Influence of physical exercise on plasma creatine kinase activity in healthy and dystrophic turkeys and sheep. *Am. J. Vet. Res.*, 1982, 43(12), 2220-3. (EN)

Goedegebuure, S.A., Hartman, W., Hoebe, H.P.: Dystrophy of the diaphragmatic muscles in adult Meuse-Rhine-Yssel cattle: electromyographical and histological findings. *Vet. Pathol.*, 1983, 20(1), 32-48. (EN)

Ivandija, L.: Importance of inorganic selenium for health, productivity and reproduction of swine. *Tierarztl. Prax.*, 1981. 9(2), 191-201. (GE)

Zettl, K.: Veterinary tasks and procedures in sheep raising. 2. Diseases of lambs. *Tierarztl. Prax.*, 1980, 8(1), 21-47. (GE)

Roneus, B.: Glutathione peroxidase and selenium in the blood of healthy horses and foals affected by muscular dystrophy. Nord. Vet. Med., 1982, 34(10), 350-3. (EN)

Badalian, L.O., Temin, P.A., Ilin, I.L., Kovaleva, Mlu., Dzutova, E.D.: Membrane theory of the pathogenesis of progressive muscular dystrophy. Klin. Med., 1982, 60(10), 13-6. (RS)

Hamir, A.N.: White muscle disease of a foal. Aust. Vet. J., 1982, 59(2), 57-8. (EN)

Stanik, J., Tetreanova, J., Izarikova, A., Cierna, V.: Chromosome analysis of swine and their offspring with muscular weakness of the extremities. Vet. Med., 1982, 27(9), 551-6. (SL)

Duncan, C.J.: Parallels between spontaneous release of transmitter at the neuromuscular junction and subcellular damage of muscle. Evidence for the underlying common involvement of intracellular Ca^{+2} ?. Comp. Biochem. Physiol., A, 1982, 73(2), 147-9. (Review) (EN)

Takagi, A., Ishiura, S., Nonaka, I., Sugita, H.: Myosin light chain components in single muscle fibers of Duchenne muscular dystrophy. Muscle Nerve., 1982, 5(5), 399-404. (EN)

文 献

- 1) 野村達次 : 筋ジストロフィー症に関する文献調査(1978), 厚生省神経疾患研究委託費「筋ジストロフィー症動物の生産・開発に関する研究」班, 昭和54年度研究報告書, 1-7, 1980.
- 2) 野村達次 : 筋ジストロフィー症に関する文献調査(1979), 厚生省神経疾患研究委託費「筋ジストロフィー症動物の生産・開発に関する研究」班, 昭和55年度研究報告書, 1-15, 1981.
- 3) 野村達次 : 筋ジストロフィー症に関する文献調査(1980, 1981), 厚生省神経疾患研究委託費「筋ジストロフィー症動物の生産・開発に関する研究」班, 昭和56年度研究報告書, 1-12, 1982.
- 4) 野村達次 : 筋ジストロフィー症に関する文献調査(1982), 厚生省神経疾患研究委託費「筋ジストロフィー症動物の開発・供給に関する研究」班, 昭和57年度研究報告書, 1-5, 1983.

